

Serial No. 09/923,285

1. (Currently Amended) A computer-implemented method for storing, managing and distributing consumer information via a distributed electronic network, the method comprising the steps of:

storing an information account in a central data repository accessible via the distributed electronic network, the information account comprising a plurality of consumer information elements associated with a consumer and being subject to the consumer's control and management;

receiving with a database management system, ~~over the distributed electronic network,~~ a request over the distributed electronic network from a network device for one or more selected consumer information elements, the request including consumer authentication information and being made by the network device responsive to an input command supplied by the consumer; [[and]]

in response to the request, authenticating the consumer based on the authentication information, retrieving the selected consumer information elements from the information account by filtering data from the information account with the database management system, and transmitting the selected consumer information elements, over the distributed electronic network, to the network device; and

autopopulating the selected consumer information elements into at least one input field of a web page file.

2. (Original) The method of claim 1, wherein the request is made while the consumer accesses a first web page file; and

wherein the method further comprises the step of invoking, in response to successful authentication of the consumer, a single sign-on mechanism so that the consumer will not be required to resubmit the consumer authentication information, prior to occurrence of a terminating event, upon accessing a subsequent web page file and requesting additional selected consumer information elements.

Serial No. 09/923,285

3. (Original) The method of claim 2, wherein said terminating event comprises expiration of a time-out period.

4. (Original) The method of claim 1, wherein the network device comprises a client device executing a browser; and

wherein the method further comprises the step of, prior to receiving the request from the network device for the selected consumer information elements, transmitting to the network device a temporary client-side application configured to manage the request/response process for the network device.

5. (Original) The method of claim 4, wherein the browser displays a web page file that has been retrieved from a vendor server, the web page file including an instruction that causes the browser to request transmission of the client-side application.

6. (Currently Amended) The method of claim 4, wherein the client-side application executes a communication protocol for communicating with [[a]] the database management system that manages the central data repository.

7. (Original) The method of claim 4, wherein the client-side application receives the selected consumer information elements and integrates the selected consumer information elements into a vendor's business process on behalf of the consumer.

Serial No. 09/923,285

8. (Currently Amended) The method of claim 7, wherein the step of integrating the selected consumer information elements into a vendor's business process further comprises the ~~[[steps]]~~step of:

~~auto-populating the selected consumer information elements into at least one input field of a web page file that has been received from a vendor server; and~~

allowing the consumer to interact with the browser in order to submit the web page file that has been auto-populated with the selected consumer information elements to the vendor server for processing of the selected consumer information elements.

9. (Original) The method of claim 8, wherein the consumer edits at least one of the auto-populated selected consumer information elements before submitting the webpage file to the vendor server

wherein the client-side application detects that the at least one auto-populated selected consumer information elements has been edited; and

wherein the client-side application transmits the at least one edited auto-populated selected consumer information elements to the information account for updating of the information account.

10. (Original) The method of claim 8, wherein the consumer inputs at least one additional consumer information element before submitting the web page file to the vendor server;

wherein the client-side application detects that the at least one additional consumer information element has been input; and

wherein the client-side application transmits the at least one additional consumer information element to the information account for storage.

Serial No. 09/923,285

11. (Original) The method of claim 4, wherein the selected consumer information elements are transmitted to the network device in an encrypted format; and  
wherein the client-side application decrypts the selected consumer information elements.

12. (Original) The method of claim 4, wherein the selected consumer information elements are transmitted to the client-side application in a decrypted format via a secure network connection.

13. (Currently Amended) The method of claim 1, wherein the network device comprises a vendor server interacting with a client device, the vendor server executing a server-side application for interacting with [[a]]the database management system that manages the central data repository.

14. (Original) The method of claim 13, wherein the selected consumer information elements are transmitted to the network device in an encrypted format; and  
wherein the server-side application decrypts the selected consumer information elements.

15. (Original) The method of claim 13, wherein the selected consumer information elements are transmitted to the server-side application in a decrypted format via a secure network connection.

16. (Original) The method of claim 13, wherein the server-side application receives the selected consumer information elements from the database management system and integrates the selected consumer information elements into a vendor's business process on behalf of the consumer.

Serial No. 09/923,285

17. (Currently Amended) The method of claim 16, wherein integrating the selected consumer information elements into the vendor's business process comprises:

~~auto-populating the selected consumer information elements into at least one input field of the web page file;~~

transmitting the auto-populated web page file to the browser for display to the consumer;  
and

in response to a submit command received from the browser, passing the selected consumer information elements to a processing module executed by the vendor server.

18. (Original) The method of claim 17, wherein the consumer edits at least one of the auto-populated selected consumer information elements before issuing the submit command;

wherein the server-side application detects that the at least one auto-populated selected consumer information elements has been edited; and

wherein the server-side application transmits the at least one edited auto-populated selected consumer information elements to the information account for updating of the information account.

19. (Original) The method of claim 17, wherein the consumer inputs at least one additional consumer information element before issuing the submit command;

wherein the server-side application detects that the at least one additional consumer information element has been input; and

wherein the server-side application transmits the at least one additional consumer information element to the information account for storage.

20. (Original) The method of claim 1, wherein the consumer information elements are stored in the central data repository in a tagged data format.

Serial No. 09/923,285

21. (Original) The method of claim 20, wherein retrieving the selected consumer information elements from the information account comprising filtering the consumer information elements of the information account using at least one style sheet.

22. (Original) The method of claim 1, further comprising:  
in response to transmitting the selected consumer information elements to the network device, receiving an acknowledgment from the network device indicating that the selected consumer information elements were used to complete a transaction, the acknowledgment including transaction information; and  
storing the transaction information in a transaction log.

23. (Currently Amended) The method of claim 22, wherein the transaction log identifies a vendor who completed the transaction and a vendor who facilitated creation of the information account; and wherein any revenue received in relation to the transaction may be shared with the vendor who completed the transaction and the vendor who facilitated creation of the information account.

[The Remainder of this page has been intentionally left blank.]

Serial No. 09/923,285

24. (Currently Amended) A computer-readable medium having stored thereon computer-executable instructions for storing, managing and distributing consumer information via a distributed electronic network, by causing one or more processors to perform the steps of:

storing an information account in a central data repository accessible via the distributed electronic network, the information account comprising a plurality of consumer information elements associated with a consumer and being subject to the consumer's control and management;

receiving with a database management system, over the distributed electronic network, a request over the distributed electronic network from a network device for one or more selected consumer information elements, the request including consumer authentication information and being made by the network device responsive to an input command supplied by the consumer; [[and]]

in response to the request, authenticating the consumer based on the authentication information, retrieving the selected consumer information elements from the information account by filtering data from the information account with the database management system, and transmitting the selected consumer information elements, over the distributed electronic network, to the network device; and

autopopulating the selected consumer information elements into at least one input field of a web page file.

25. (Original) The computer-readable medium of claim 24, wherein the network device comprises a client device executing a browser, and wherein said computer-executable instructions further cause the one or more processors to perform the step of, prior to receiving the request from the network device for the selected consumer information elements, transmitting to the network device a temporary client-side application configured to manage the request/response process for the network device.

Serial No. 09/923,285

26. (Original) The computer-readable medium of claim 25, wherein said computer-executable instructions further cause the one or more processors to perform the step of causing the browser displays a web page file that has been retrieved from a vendor server, the web page file including an instruction that causes the browser to request transmission of the client-side application.

27. (Original) The computer-readable medium of claim 25, wherein said computer executable instructions further cause the one or more processors to perform the step of causing the client-side application to receive the selected consumer information elements and integrate the selected consumer information elements into a vendor's business process on behalf of the consumer.

28. (Currently Amended) The computer-readable medium of claim 27, wherein said computer-executable instructions which cause the one or more processors to perform the step of integrating the selected consumer information elements into the vendor's business process further comprise computer-executable instructions which cause the one or more processors to perform the [[steps]]step of:

~~auto-populating the selected consumer information elements into at least one input field of the web page file; and~~

allowing the consumer to interact with the browser in order to submit the web page file that has been auto-populated with the selected consumer information elements to the vendor server for processing of the selected consumer information elements.

[The Remainder of this page has been intentionally left blank.]



Serial No. 09/923,285

29. (Original) The computer-readable medium of claim 28, wherein said computer-executable instructions further cause the one or more processors to perform the steps of:

allowing the consumer to edit at least one of the auto-populated selected consumer information elements before submitting the web-page file to the vendor server;

causing the client-side application to detect that the at least one auto-populated selected consumer information elements has been edited; and

causing the client-side application to transmit the at least one edited auto-populated selected consumer information elements to the information account for updating of the information account.

30. (Original) The computer-readable medium of claim 28, wherein said computer-executable instructions further cause the one or more processors to perform the steps of:

allowing the consumer to input at least one additional consumer information element before submitting the web page file to the vendor server;

causing the client-side application to detect that the at least one additional consumer information element has been input; and

causing the client-side application to transmit the at least one additional consumer information element to the information account for storage.

31. (Original) The computer-readable medium of claim 28, wherein the network device comprises a vendor server interacting with a client device, and wherein said computer-executable instructions further cause the one or more processors to perform the step of causing the vendor server to execute a server-side application for interacting with a database management system that manages the central data repository.

Serial No. 09/923,285

32. (Original) The computer-readable medium of claim 31, wherein said computer-executable instructions further cause the one or more processors to perform the step of causing the server-side application to receive the selected consumer information elements from the database management system and to integrate the selected consumer information elements into a vendor's business process on behalf of the consumer.

33. (Currently Amended) The computer-readable medium of claim 32, wherein said computer-executable instructions which cause the one or more processors to perform the step of integrating the selected consumer information elements into the vendor's business process further comprise computer-executable instructions which cause the one or more processors to perform the steps of:

~~auto-populating the selected consumer information elements into at least one input field of the web page file;~~

transmitting the auto-populated web page file to the browser for display to the consumer;  
and

in response to a submit command received from the browser, passing the selected consumer information elements to a processing module executed by the vendor server.

[The Remainder of this page has been intentionally left blank.]

Serial No. 09/923,285

34. (Original) The computer-readable medium of claim 33, wherein said computer-executable instructions further cause the one or more processors to perform the steps of:

allowing the consumer to edit at least one of the auto-populated selected consumer information elements before issuing the submit command;

causing the server-side application to detect that the at least one auto-populated selected consumer information elements has been edited; and

causing the server-side application to transmit the at least one edited auto-populated selected consumer information elements to the information account for updating of the information account.

35. (Original) The computer-readable medium of claim 33, wherein said computer-executable instructions further cause the one or more processors to perform the steps of:

allowing the consumer to input at least one additional consumer information element before issuing the submit command;

causing the server-side application to detect that the at least one additional consumer information element has been input; and

causing the server-side application to transmit the at least one additional consumer information element to the information account for storage.

Serial No. 09/923,285

36. (Currently Amended) A computer-implemented method for storing, managing and distributing consumer information via a distributed electronic network, the method comprising the steps of:

hosting a web page file accessible via the distributed electronic network by a client device executing a browser, the web page file prompting a consumer to input selected consumer information elements; and

executing a server-side application configured for communication with a host server that hosts a central data repository, the server-side application operable to:

determine the selected consumer information elements that are to be input into the web page file by the consumer,

transmit a request to the host server for retrieval of the selected consumer information elements from an information account associated with the consumer, [[and]]

retrieving the selected consumer information elements by filtering data from the information account with a database management system,

in response to receiving the selected consumer information elements from the host server, passing the selected consumer information elements to a processing module for processing, and

autopopulating the selected information elements into at least one input field of a web page file.

37. (Original) A computer-readable medium having stored thereon computer-executable instructions for performing the method of claim 36.

Serial No. 09/923,285

38. (Currently Amended) The method of claim 36, further comprising, prior to passing the selected consumer information elements to the processing module, ~~auto-populating the selected consumer information elements into input fields of the web page file for display~~ displaying the autopopulated web page file to the consumer via the browser; and

receiving a submit command from the browser indicating the consumer's desire to pass the selected consumer information elements to the processing module for processing.

39. (Original) The method of claim 38, wherein the consumer edits at least one of the auto-populated consumer information elements;

wherein the server-side application detects that the at least one auto-populated consumer information elements has been edited; and

wherein, in response to the update command issued by the consumer, the server-side application transmits the at least one edited auto-populated consumer information elements to the host server for updating of the information account.

40. (Original) A computer-readable medium having stored thereon computer-executable instructions for performing the method of claim 39.

41. (Original) The method of claim 36, wherein the server-side application causes a login interface to be displayed to the consumer via the browser for the input of consumer authentication information; and

wherein the server-side application detects the input of the consumer authentication information and transmits the consumer authentication information to the host server for authentication of the consumer prior to receiving the selected consumer information elements from the host server.

42. (Original) A computer-readable medium having stored thereon computer-executable instructions for performing the method of claim 41.

Serial No. 09/923,285

43. (Original) The method of claim 41, further comprising, in response to authenticating the consumer, invoking a single sign-on mechanism so that the consumer will not be required to resubmit the consumer authentication information upon accessing a subsequent web page file prior to expiration of a time-out period.

44. (Original) A computer-readable medium having stored thereon computer-executable instructions for performing the method of claim 43.

45. (Original) The method of claim 41, wherein the server-side application receives vendor authentication information from a vendor server on which it is executed; and wherein the server-side application transmits the vendor authentication information to the host server for authentication of the vendor prior to receiving the selected consumer information elements from the host server.

46. (Original) The method of claim 36, wherein the selected consumer information elements are transmitted to the server-side application in an encrypted format; and wherein the server-side application decrypts the selected consumer information elements.

47. (Original) The method of claim 36, wherein the selected consumer information elements are transmitted to the server-side application in a decrypted format via a secure network connection.

48. (Original) The method of claim 36, wherein the consumer information elements are stored in the central data repository in a tagged data format.

Serial No. 09/923,285

49. (Original) The method of claim 36, wherein processing the selected consumer information elements comprises using the selected consumer information elements to complete a transaction; and

wherein the method further comprises transmitting transaction information to the host server for storage in a transaction log.

50. (Currently Amended) A computer-implemented method for storing, managing and distributing consumer information via a distributed electronic network comprising:

executing a browser for accessing a web page data file hosted by a vendor server, the web page file including an instruction that causes the browser to download a temporary client-side application from a host server that hosts a central data repository storing an information account; and

executing the client-side application in order to:

determine a plurality of selected consumer information elements that are to be input into input fields of the web page file,

transmit a request to the host server for retrieval of the selected consumer information elements from the information account, [[and]]

retrieving the selected consumer information elements by filtering data from the information account with a database management system; and

in response to receiving the selected consumer information elements from the host server, auto-populating the selected consumer information elements into the input fields of the web page file.

Serial No. 09/923,285

51. (Original) The method of claim 50, wherein the client-side application displays a login interface for the input of consumer authentication information; and  
wherein the client-side application transmits the consumer authentication information to the host server for authentication of the consumer prior to receiving the selected consumer information elements from the host server.

52. (Original) The method of claim 51, wherein the client-side application receives vendor authentication information from the vendor server; and  
wherein the client-side application transmits the vendor authentication information to the host server for authentication of the vendor prior to receiving the selected consumer information elements from the host server.

53. (Original) The method of claim 50, wherein the selected consumer information elements are transmitted to the client-side application in an encrypted format; and  
wherein the client-side application decrypts the selected consumer information elements.

54. (Original) The method of claim 50, wherein the selected consumer information elements are transmitted to the client-side application in a decrypted format via a secure network connection.

55. (Original) The method of claim 50, wherein the consumer edits at least one of the auto-populated consumer information elements;  
wherein the client-side application detects that the at least one auto-populated consumer information elements has been edited; and  
wherein, in response to an update command issued by the consumer, the client-side application transmits the at least one edited auto-populated consumer information elements to the host server for updating of the information account.



Serial No. 09/923,285

56. (Original) A computer-readable medium having stored thereon computer-executable instructions for performing the method of claim 55.

57. (Original) The method of claim 50, wherein the consumer information elements are stored in the central data repository in a tagged data format.

58. (Currently Amended) A system for storing, managing and distributing consumer information via a distributed electronic network, comprising:

a central data repository accessible via the distributed electronic network for storing an information account, the information account comprising a plurality of consumer information elements associated with a consumer and subject to the consumer's control and management; and

a host server for communicating with the central database and with a network device via the distributed electronic network and for executing computer-executable instructions for:

in response to receiving a request from the network device for selected consumer information elements, communicating with the central data repository in order to retrieve the selected consumer information elements from the information account by filtering data from the information account with a database management system, and transmitting the selected consumer information elements to the network device over the distributed electronic network; and

autopopulating the selected consumer information elements into at least one input field of a web page file.

Serial No. 09/923,285

59. (Original) The system of claim 58, wherein the request includes consumer authentication information; and

wherein the host server executes further computer-executable instructions for communicating with the central data repository to authenticate the consumer based on the authentication information, prior to retrieving the selected consumer information elements from the information account.

60. (Original) The system of claim 58, wherein the network device comprises a client device executing a browser;

wherein the host server further comprises a memory for storing a client-side application configured to manage communications with the host server on behalf of the client device; and

wherein the host server executes further computer-executable instructions for transmitting to the client device the client-side application, prior to receiving the request from the network device for the selected consumer information elements.

61. (Original) The system of claim 60, wherein the browser displays a web page file that has been retrieved from a vendor server, the web page file including an instruction that causes the browser to request transmission of the client-side application from the host server.

62. (Currently Amended) The system of claim 61, wherein the client-side application receives the selected consumer information elements from the host server and performs the autopopulating ~~integrates the selected consumer information elements into the web page file on behalf of the consumer.~~

63. (Cancelled).

Serial No. 09/923,285

64. (Currently Amended) The system of claim ~~[[63]]~~61, wherein the consumer interacts with the browser in order to submit the web page file that has been auto-populated with the selected consumer information elements to the vendor server for processing of the selected consumer information elements.

65. (Original) The system of claim 64, wherein the consumer edits at least one of the auto-populated selected consumer information elements before submitting the web-page file to the vendor server;

wherein the client-side application detects that the at least one auto-populated selected consumer information elements has been edited; and

wherein the client-side application transmits the at least one edited auto-populated selected consumer information elements to the host server for updating of the information account.

66. (Original) The system of claim 64, wherein the consumer inputs at least one additional consumer information element before submitting the web-page file to the vendor server;

wherein the client-side application detects that the at least one additional consumer information element has been input; and

wherein the client-side application transmits the at least one additional consumer information element to the host server for storage in the information account.

67. (Original) The system of claim 60, wherein the selected consumer information elements are transmitted to the client-side application in an encrypted format; and

wherein the client-side application decrypts the selected consumer information elements.

68. (Original) The system of claim 60, wherein the selected consumer information elements are transmitted to the client-side application in a decrypted format via a secure network connection.

Serial No. 09/923,285

69. (Original) The system claim 58, wherein the network device comprises a vendor server interacting with a client device, the vendor server executing a server-side application for communicating with the host server.

70. (Original) The system of claim 69, wherein the selected consumer information elements are transmitted to the vendor server device in an encrypted format; and wherein the server-side application decrypts the selected consumer information elements.

71. (Original) The system of claim 69, wherein the selected consumer information elements are transmitted to the server-side application in a decrypted format via a secure network connection.

72. (Currently Amended) The system of claim 69, wherein the server-side application receives the selected consumer information elements from the host server and performs the autpopulating integrates the selected consumer information elements into a vendor's business process on behalf of the consumer.

[The Remainder of this page has been intentionally left blank.]

Serial No. 09/923,285

73. (Currently Amended) The system of claim 72, wherein integrating the selected consumer information elements into the vendor's business process comprises:

~~auto-populating the selected consumer information elements into at least one input field of the web page file;~~

transmitting the auto-populated web page file to the browser for display to the consumer;  
and

in response to a submit command received from the browser, passing the selected consumer information elements to a processing module executed by the vendor server.

74. (Original) The system of claim 73, wherein the consumer edits at least one of the auto-populated selected consumer information elements before issuing the submit command;

wherein the server-side application detects that the at least one auto-populated selected consumer information elements has been edited; and

wherein the server-side application transmits the at least one edited auto-populated selected consumer information elements to the host server for updating of the information account.

75. (Original) The system of claim 73, wherein the consumer inputs at least one additional consumer information element before issuing the submit command;

wherein the server-side application detects that the at least one additional consumer information element has been input; and

wherein the server-side application transmits the at least one additional consumer information element to the host server for storage in the information account.

76. (Original) The system of claim 58, wherein the consumer information elements are stored in the central data repository in a tagged data format.

Serial No. 09/923,285

77. (Original) The system of claim 76, wherein retrieving the selected consumer information elements from the information account comprises filtering the consumer information elements of the information account using at least one style sheet.

78. (Original) The system of claim 58, wherein the host server further executes computer-executable instructions for:

in response to transmitting the selected consumer information elements to the network device, receiving an acknowledgment from the network device indicating that the selected consumer information elements were used to complete a transaction, the acknowledgment including transaction information; and

storing the transaction information in a transaction log associated with the information account in the central data repository.

79. (Currently Amended) In ~~or for~~ a system for storing, managing and distributing consumer information via a network, a propagated signal carrying thereon comprising:

a tagged data stream representing consumer information elements that have been filtered from an information account by a database management system, stored in a central data repository, in response to a request for the consumer information elements from a client device, the client device executing a browser accessing a web page that prompts for input of the consumer information elements, the consumer elements being autopopulated into at least one input field of a web page.

[The Remainder of this page has been intentionally left blank.]

Serial No. 09/923,285

80. (Currently Amended) In or for a system for storing, managing and distributing consumer information, a propagated signal carrying thereon a data structure comprising:

a client-side application configured for managing communications between a client device and a database management system, the database management system being stored on a host server[[,]] that filters and accesses an information account comprising consumer information elements associated with a consumer stored in a central data repository, the client-side application autopopulating selected consumer information elements into at least one input field of a web page file.

81. (Currently Amended) The propagated signal of claim 80, wherein the client device executes a browser for accessing [[a]] the web page file that prompts for input of selected consumer information elements; and

wherein the client-side application requests the selected consumer information elements from the database management system, which accesses and filters the information account to retrieve the selected consumer information elements and returns the selected consumer information elements to the client-side application.

82. (Original) The propagated signal of claim 81, wherein the client-side application submits consumer authentication information along with the request for the selected consumer information elements; and

wherein prior to retrieving the selected consumer information elements from the information account, the database management system authenticates the consumer based on the authentication information.

83. (Original) The propagated signal of claim 82, wherein in response to authenticating the consumer, a single sign-on mechanism is invoked so that the consumer will not be required to resubmit the consumer authentication information upon accessing a subsequent web page file prior to expiration of a time-out period.

Serial No. 09/923,285

84. (Currently Amended) A system for storing, managing and distributing consumer information comprising:

a means for centrally storing an information account comprising a plurality of tagged consumer information elements associated with a consumer;

means for hosting a database management system configured to create, update or delete the consumer information elements;

means for managing communications between the database management system and a network device across a distributed electronic network, said means being configured to request selected consumer information elements from the database management system, receive the selected consumer information elements from the database management system which filters an information account to obtain the consumer information elements, and transmit the selected consumer information elements across the distributed electronic network for use by the network device; and

means for autopopulating the selected consumer information elements into at least one input field of a web page.

85. (Original) The system of claim 84, wherein the means for managing communications between the database management system and the network device is configured to submit consumer authentication information along with the request for selected consumer information elements; and

wherein the database management system is further configured to access the information account to authenticate the consumer based on the authentication information.

86. (Currently Amended) The system of claim 84, wherein the network device comprises a client device executing a browser[[:]].

87. (Original) The system claim 84, wherein the network device comprises a vendor server interacting with a client device.



Serial No. 09/923,285

88. (Currently Amended) A computer-implemented method for storing, managing and distributing user information via a distributed electronic network, the method comprising the steps of:

storing a user personal information account within a central data repository accessible via the distributed electronic network, the user personal information account comprising a plurality of information elements relating to a user;

receiving, via the distributed electronic network, a first request from a first network device for selected information elements in the user personal information account for use by a first client-side application program, the first request being made by the first network device responsive to a first input command supplied by the user;

in response to the first request, retrieving the selected information elements from the user personal information account by filtering data from the user personal information account with a database management system and transmitting the selected information elements, via the distributed electronic network, to the first network device;

autopopulating the selected consumer information elements into at least one input field of a first web page file;

receiving, via the distributed electronic network, a second request from a second network device for selected information elements in the user personal information account for use by a second client-side application program, the second request being made by the second network device responsive to a second input command supplied by the user; [[and]]

in response to the second request, retrieving the selected consumer information elements from the user personal information account by filtering data from the user personal information account with a database management system and transmitting the selected consumer information elements, via the distributed electronic network, to the second network device; and

autopopulating the selected consumer information elements into at least one input field of a second web page file.

Serial No. 09/923,285

89. (Original) The method of claim 88, wherein at least one of the first request and second request for selected information elements in the user personal information account includes user authentication information; and

wherein the method further comprising, prior to retrieving the selected information elements from the user personal information account, the step of authenticating the user based on the authentication information.

[The Remainder of this page has been intentionally left blank.]

Serial No. 09/923,285

90. (Currently Amended) A computer-implemented method for storing, managing and distributing user information via a distributed electronic network, the method comprising the steps of:

storing a user personal information account within a central data repository accessible via the distributed electronic network, the user personal information account comprising a plurality of information elements relating to a user;

transmitting to a network device, over the distributed electronic network, a web page file from a provider web site;

transmitting to the network device, over the distributed electronic network, a client-side application program, the client-side application program being transmitted in response to a request from the network device resulting from execution at the network device of an instruction within the web page file;

receiving from the network device, over the distributed electronic network, a request for selected information elements in the user personal information account, the request being made by the network device under control of the client-side application program; [[and]]

in response to the request, retrieving the selected information elements from the user personal information account by filtering data from the user personal information account with a database management system and transmitting the selected information elements, over the distributed electronic network, to the network device; and

autopopulating the selected consumer information elements into at least one input field of the web page file.

[The Remainder of this page has been intentionally left blank.]

Serial No. 09/923,285

91. (Currently Amended) The method of claim 90, further comprising the steps of:  
transmitting to the network device, over the distributed electronic network, a second web page file from a second provider web site;

transmitting to the network device, over the distributed electronic network, a second client-side application program, the second client-side application program being transmitted in response to a request from the network device resulting from execution at the network device of an instruction within the second web page file;

receiving from the network device, over the distributed electronic network, a second request for selected information elements in the user personal information account, the second request being made by the network device under control of the second client-side application program; [[and]]

in response to the second request, retrieving the selected information elements from the user personal information account by filtering data from the user personal information account with a database management system and transmitting the selected information elements, over the distributed electronic network, to the network device; and

autopopulating the selected consumer information elements into at least one input field of the second web page file.

92. (Original) The method of claim 90, further comprising the step of receiving, at the provider web site and over the distributed electronic network, an electronic form from the network device, said electronic form comprising one or more of the selected information elements embedded therein by the client-side application program.

Serial No. 09/923,285

93. (Original) The method of claim 90, wherein the request for selected information elements in the user personal information account includes user authentication information; and wherein the method further comprising, prior to retrieving the selected information elements from the user personal information account, the step of authenticating the user based on the authentication information.

94. (Currently Amended) A computer-implemented method for storing, managing and distributing consumer information via a distributed electronic network, the method comprising the steps of:

storing an information account in a central data repository accessible via the distributed electronic network, the information account comprising a plurality of tagged consumer information elements associated with a consumer and being subject to the consumer's control and management;

receiving, over the distributed electronic network, a plurality of requests from a network device for different combinations of selected consumer information elements; [[and]]

in response each of the requests, retrieving the selected consumer information elements from the information account by filtering data from the information account with a database management system and transmitting the selected consumer information elements, as tagged data streams, to the network device over the distributed electronic network; and

autopopulating the selected consumer information elements into at least one input field of a web page.

95. (Original) The method of claim 94, wherein said requests are made by the network device in response to input commands supplied by the consumer.